

Panel Configuration

In this article

- [Configuration File](#)
- [Payment Gateways: PayPal](#)
- [Payment Gateways: Authorize.net](#)

Configuration File

The next step is to tune Client Panel settings. In order to do this, you will need to modify **customer-params.json** file located in **/opt/jerasoft/vcs/portal-backend/config** directory. This file is pre-created for you during system installation and has all required basic settings. However, if you're planning to use payment gateways: either **PayPal** or **Authorize.Net**, you must update values in respective fields of the file. In the same folder, you can find **customer-params.default.json** file containing default settings, explanations for which are given below.

⚠ Attention

Starting from VCS 3.16.x, **customer-params.json** is a symlink to **/opt/jerasoft/vcs-data/conf/cp-customer-params.json** file, and will be preserved through VCS upgrades.

Configuration Options

Below we provide a description of all settings you can find in **customer-params.default.json** and **customer-params.json** files:

customer-params.default.json		
Setting Name	Description	Example
coreApi.uri	URL for the Core API JSON-RPC service	"http://127.0.0.1:3080"
managementApi.uri	URL for the Management API	"https://127.0.0.1/jsonrpc"
billingUri	Admin Panel web-address	"https://127.0.0.1"
openedEndpoint	Link where payment gateways webhook will be returned to (must be without slash at the end)	"https://127.0.0.1"
redisMain.hostname	The hostname or ip address to use for connecting to the redis server.	"localhost"
redisMain.port	The port to use for connecting to the redis server.	6379
redisMain.database	The redis database to use.	1
redisCache.hostname	The hostname or ip address to use for connecting to the redis server.	"localhost"
redisCache.port	The port to use for connecting to the redis server.	6379
redisCache.database	The redis database to use.	2

customer-params.json		
Setting Name	Description	Example
coreApi.authToken	CoreAPI Auth Token (could be found in the Users > CoreAPI Token field)	"a4386b81a8d062f640f1d1edaa821a9c"

managementApi. login	Login of the user under which all request will be performed (<i>should be same user for which you use CoreAPI Auth Token</i>)	"login"
managementApi. passsword	Password of the user under which all request will be performed	"password"

Payment Gateways: PayPal

Check your PayPal panel for the required parameters. [Get more details](#).

Setting Name	Description	Example
paypal.clientId	PayPal Client ID	
paypal.clientSecret	PayPal Client Secret Key	
paypal.sandbox	Defines PayPal working mode. Default working mode is live	false

Payment Gateways: Authorize.net

Check your Authorize.Net panel for the required parameters. [Get more details](#).

Setting Name	Description	Example
authorizenet.apiLoginId	Authorize.Net API Login ID	
authorizenet.apiTransactionKey	Authorize.Net API Transaction Key	
authorizenet.apiSignatureKey	Authorize.Net API Signature Key	
authorizenet.sandbox	Defines Authorize.Net working mode. Default working mode is live	false

Attention

Payment Gateways integration requires proper domain name and real SSL certificate. Please check [Panel Deployment](#) guideline to get more information.