

Settings

This section is designed for management of system notification messages distribution, as well as specifying the system time and date format. The section is divided into 13 information blocks listed below:

- [System Settings](#)
- [Regional Settings](#)
- [Mail Server Settings](#)
- [Reports and Processing Settings](#)
- [Output and Import/Export](#)
- [Invoicing Settings](#)
- [RADIUS Server](#)
- [SIP Server](#)
- [Dynamic Routing](#)
- [Rates Generator Settings](#)
- [Notification and Monitoring](#)
- [Autorotation and Cleaning](#)
- [Backup Settings](#)

To apply any changes, made in the section, click the

A blue rectangular button with the word "Update" in white text.

button. The whole **Settings** section is presented in the screenshot below:

Screenshot: Settings section

SYSTEM SETTINGS

Domain Name:	<input type="text" value="https://localhost:7443/"/>	The "Domain name" field must always start with "https://", and cannot be empty!
Public IP:	<input type="text" value="127.0.0.1"/>	The system public IP address used for LNP DIP requests. This field is mandatory if LNP is enabled in the system.
<input type="checkbox"/>	Collect anonymized data	Allow collection of the anonymized system usage statistics. It will allow us to make whole system usage experience better for you. Please note that we collect only usage data, no personal or monetary information will be collected.

REGIONAL SETTINGS

Default Currency:	<input type="text" value="USD"/>	Default currency is used for routing, profitability margin check and new entities creation
Default Language:	<input type="text" value="English"/>	Set default locale for the interface if not set in user preferences
Timezone:	<input type="text" value="UTC"/>	Default system timezone. You can change timezone in statistic reports queries
Date Format:	<input type="text" value="%m/%d/%Y"/>	Output format for dates, you can check syntax for this field in the User Guide
Date and Time Format:	<input type="text" value="%m/%d/%Y %H:%M:%S %z"/>	Output format for dates and times, you can check syntax for this field in the User Guide

MAIL SERVER SETTINGS

Host:	<input type="text" value="localhost"/>	Hostname or IP address of SMTP server
Port:	<input type="text" value="25"/> <input type="text" value="Plain"/>	Port/Security of SMTP server
From:	<input type="text" value="billbery@localhost"/>	Specify email address to send mail from, it is a system address for the SMTP server, not the one that appears in the "From" field in emails
Login:	<input type="text"/>	Login of SMTP server (if login and password fields are empty, no authentication will be performed)
Password:	<input type="text"/>	Password of SMTP server

REPORTS AND PROCESSING SETTINGS

Statistics processing order:	<input type="text" value="old calls first"/>	Order of statistics processing when the queue is large
Calculator Workers:	<input type="text" value="4"/>	Number of threads processing calculator tasks (number of CPU cores / 2).
Calculator Mode:	<input type="text" value="periodically run"/>	Select calculator processing mode: periodically run - runs every X minutes by Task Scheduler; faster processing of xDR bulks, but causes some delay realtime process - processes calls in realtime; slower processing in case of xDR bulks; use only if you really need realtime
<input type="checkbox"/>	Round Monetary Value	Round monetary value in xDRs report and xDRs files. Default without rounding.
<input type="checkbox"/>	Cross-Gateway Connection	Used for Orig-Term and Profit Reports : allows Reports Generator tool to concatenate orig and term legs from different gateways.

OUTPUT AND IMPORT/EXPORT

Items per Page:	<input type="text" value="20"/>	Default number of items per page in the system interfaces.
CSV Delimiter:	<input type="text" value=","/>	Default delimiter used for CSV files when importing/exporting
CSV Decimal Point:	<input type="text" value="."/>	What will be used as a decimal separation point for numbers ("," for most cases)
Close Rates marked by:	<input type="text" value="delete, block, close"/>	When importing a rate table, if some rates have notes that they are closed, the system will close the appropriate destinations after importing them. This field defines what marking words must be taken as ones closing a rate. The system also searches for longer words. For example: close - closed, delete - deleted, etc. Please avoid sentences and use only single words, separated by a comma (block, close).
Hidden Numbers:	<input type="text" value="0"/>	The number of digits, which must be hidden in a destination number
Output Encoding:	<input type="text" value="UTF-8"/>	Encoding that will be used during exporting data to a file.
Import Encoding:	<input type="text" value="UTF-8"/>	Encoding that will be used during importing data from a file.
Default PIN Length:	<input type="text" value="12"/>	For Calling Cards only — default length of PIN code for generated cards

INVOICING SETTINGS

Invoice No Template:	<input type="text" value="%Y%m%x"/>	Format for Invoices No, you can use next replacements: %Y - current year, %m - current month, %d - current day, %C - client ID, %N - client name, %x - system incremental integer, %X - reseller incremental integer
Invoice Last No:	<input type="text" value="100332"/>	Last Invoice No used in the system for invoices generation
Autoinvoicing Default State:	<input type="text" value="to verify"/>	Default state for all automatically created invoices.
Autoinvoicing Delay:	<input type="text" value="0"/> hour(s)	Time in hours that system is going to wait from the end of a previous day before invoicing. Required to be a positive integer. Otherwise, the system will invoice a customer before the moment of full statistics process. Recommended value is around 5-6 hours.
<input type="checkbox"/>	Check for empty code names in invoices	In case invoice template shows code names, but the "Code Name" field is not presented in a rate table of a client, invoice will not be generated.
<input type="checkbox"/>	Allow Zero Invoices	Enables creation of zero invoices.

RADIUS SERVER

Bind to Address:	<input type="text" value="empty - bind to all"/>	Specify your server IP addresses (separated by a comma) to bind to, empty field means bind to all addresses.
Accounting Port:	<input type="text" value="1813"/>	Listen for accounting packets on a specified port
Authorization Port:	<input type="text" value="1812"/>	Listen for authorization packets on a specified port, same for dynamic routing if available
Number of Workers:	<input type="text" value="2"/>	Number of threads that process packets. The value of this parameter also affects the number of SIP workers.
Max Call Length:	<input type="text" value="7200"/>	Maximum call duration in seconds, for customers in postpaid mode.
Changes will be applied only after you restart RADIUS server from the Task Scheduler section		

SIP SERVER

SIP Port:	<input type="text" value="5060"/>	Listen for auth packets on a specified port.
-----------	-----------------------------------	--

DYNAMIC ROUTING

Analyze Period:	<input type="text" value="300"/> minute(s)	How many last minutes of statistics will be analyzed to build a routing table.
<input type="checkbox"/>	Log Empty Routes	Enable to get messages to Events Log about zero routes (degrades performance)

RATES GENERATOR SETTINGS

Number of workers:	<input type="text" value="4"/>	Number of threads that process rates generation.
Rates Generation Delay:	<input type="text" value="1"/> hour(s)	System will start Automatic Rates Generation in given amount of hours after the sources rates changes.

NOTIFICATION AND MONITORING

<input checked="" type="checkbox"/>	Event on Missing Account	Send an event to events log, when client/account was not identified during processing of XDRs or RADIUS Authorization
<input checked="" type="checkbox"/>	Event on Missing Rate	Send an event to events log, when destination/rate was not identified during processing of

<input type="checkbox"/> Event on zero time calls		XDRs or RADIUS Authorization
Resend low-balance events every:	24 hour(s)	Send events even if a call has zero length
Rate changes notification period:	5 hour(s)	How often to resend email regarding low customer's balance
Watch for free space at:	/opt/jerasoft:20:/var/lib/pgsql:30	Customer will be informed regarding rates changes in given amount of hours after the actual change.
		Monitor free disk space. You can specify full path where to monitor and percent of space delimited by ":". When free space is less than specified percent of the whole disk size - the system will send an alert.

AUTOROTATION AND CLEANING

Delete events from log after:	1 day(s) (from 1 to 90)	Delete events from Events Log after a specified period of days.
Statistics Archiving Delay:	0 day(s) (0 - do not archive)	Archive statistics in advance. Advance archiving minimizes the time needed for backup.
Statistics Rotate Delay:	100 day(s) (0 - do not rotate)	Rotate statistics to archive after specified number of days.
Delete not actual rates after:	360 day(s) (0 - do not delete)	Delete rates from the system when they are not relevant for a specified number of days from the end date.
Delete parsed xDR files after:	180 day(s) (0 - do not delete)	After what number of days already parsed and processed xDR files must be deleted from local server.
Delete archived log files after:	90 day(s) (0 - do not delete)	After what number of days archived log files must be deleted from local server.

BACKUP SETTINGS

System Backup Period:	0 hour(s) (0 - do not backup)	How often to backup the system. Please note that actual backup will be done at the time when the Backup Manager process runs.
Number of Backup Manager workers:	1	Number of threads that run database backup.
Destination for Backup Packages:	/var/backup_dir	Absolute path where to put backup packages. It cannot be inside the root of the VCS system.
Leave last X Packages:	3	How many last backup packages to leave.

Update

Warning

We strongly recommend that you **do not add any symbols** (for example, a slash) after a domain name.