Payment Gateways

In this article

- [Section overview](#)
- [Configuring Payment Gateways](#)

Section overview

This section is designed to configure methods your customers may use to recharge their balance.
Currently, there are following default methods in the system (see screenshot below):

- ***Authorize.net***
- ***PayPal***
- ***Top-Up cards***
- ***Moneybookers***
- ***QIWI***

Screenshot: Payment Gateways section

Payment Gateways

☑ AUTHORIZE.NET
ORDER POSITION: [0]

Login:	[ ]	Add your API login ID
Transaction Key:	[ ]	Add your API transaction key
Amount Limits:	[ ]	Possible values for top-up separated by comma (eg "5, 20, 100"). If empty — user can specify any value. Field should be empty for top-up cards.
Payment Account:	General ▾	Specify account which will be used for transactions from this payment gateway.
Description:	Here you can add funds to your balance by using your PayPal account.	A user will see this text as a help-tip for respective payment method.

☑ MONEYBOOKERS
ORDER POSITION: [0]

E-mail:	[ ]	Your Moneybookers e-mail, payment recipient
Secret word:	[ ]	Your Moneybookers secret word you set in your Moneybookers profile Merchant Tools
Gateway Currency:	U.S. Dollar (USD) ▾	Currency which will be used by user to perform a payment
System Currency:	USD ▾	This setting reflects currency of the gateway. Amount received will be treated as specified currency. Leave empty if not required for the gateway (eg. top-up cards).
Amount Limits:	[ ]	Possible values for top-up separated by comma (eg "5, 20, 100"). If empty — user can specify any value. Field should be empty for top-up cards.
Payment Account:	General ▾	Specify account which will be used for transactions from this payment gateway.
Description:	Here you can add funds to your balance by using your PayPal account.	A user will see this text as a help-tip for respective payment method.

☑ PAYPAL
ORDER POSITION: [0]

E-mail:	[ ]	You PayPal e-mail, payment recipient.
Gateway Currency:	U.S. Dollar (USD) ▾	Currency which will be used by user to perform a payment.
System Currency:	USD ▾	This setting reflects currency of the gateway. Amount received will be treated as specified currency. Leave empty if not required for the gateway (eg. top-up cards).
Amount Limits:	[ ]	Possible values for top-up separated by comma (eg "5, 20, 100"). If empty — user can specify any value. Field should be empty for top-up cards.
Payment Account:	General ▾	Specify account which will be used for transactions from this payment gateway.
Description:	Here you can add funds to your balance by using your PayPal account.	A user will see this text as a help-tip for respective payment method.

☑ QIWI
ORDER POSITION: [0]

E-mail:	[ ]	Your QIWI e-mail, payment recipient.
Provider ID:	[0]	Qiwi provider ID.
IP:	[ ]	Qiwi gateway IP. Separated by comma without spaces.
Payment Account:	General ▾	Specify account which will be used for transactions from this payment gateway.
Description:	Here you can add funds to your balance by using your PayPal account.	A user will see this text as a help-tip for respective payment method.

☑ TOP-UP CARDS
ORDER POSITION: [0]

Payment Account:	General ▾	Specify account which will be used for transactions from this payment gateway.
Description:	Here you can add funds to your balance by using your PayPal account.	A user will see this text as a help-tip for respective payment method.

☑ UKASH
ORDER POSITION: [0]

Security Request Token:	[ ]	20-Character alphanumeric unique Request-Token provided by Ukash. The token is used to validate the merchant account.
Security Response Token:	[ ]	20-Character alphanumeric unique Response-Token provided by Ukash. The token is used to validate the merchant account.
Brand ID:	[ ]	Unique Brand ID provided by Ukash

Configuring Payment Gateways

To configure the gateways, you need to select a **Reseller** by using *Settings for* the drop-down menu in the top-right corner of the section (see screenshot below). It means that **all clients** belonging to the selected Reseller will have these settings. The settings depend on the payment system and can include specific options for each. Below, as an example, you can find a description of fields that have to be specified while choosing the **QIWI** service.

Screenshot: Settings for a drop-down menu

Field	Description
Email	Respective QIWI **email** that should be used
Provider ID	**Identification number** of a QIWI provider
IP	QIWI gateway **IP**. Specified IP address must be **separated by a comma without spaces**
Payment Account	Payment **account** that should be used for payment from the respective payment **gateway**
Description	User will see this text as a **tool-tip** for the current payment method

What is more, you may specify the order of displayed payment methods (if more than one method is selected) in the *Order position* field in the top-right corner of the **Payment method** section.

Screenshot: Order position field

⚠ **Attention**

For proper work of the ***PayPal service***, you should ***enable access for a list of IP addresses in your Firewall settings***, which can be found here.

Moreover, you can find a ***detailed description of how to enable IPN*** by visiting the following link.