# Resellers


# In this article

- Section overview
- Advanced Search
- Adding a New Reseller
- Adding a New Manager
- Reseller Removal
- Custom Fields
- Rates Notifications
- Autocharge Settings
- Configuration Syntax
- Knowledge Base Articles

#### Section overview

Reseller in JeraSoft Billing, in the majority of cases, is a company who has a certain amount of clients and governs their activities in the system. Like any company, it can have a range of managers, each responsible for a certain group of company clients. The Manager has limited functionality: doesn't have his own balance, therefore, cannot perform any transactions; neither origination nor termination rate table can be assigned to him, etc. The Resellers section is designed to provide a user with a possibility to track and manage their company information and activity, build a hierarchy of company affiliates, or assign its managers. The section is presented in the form of a table with the following columns:


Screenshot: Resellers section



Column name	Description
ID	Reseller's/Manager's identification number
Name	Name of a reseller/manager
Available Balance	Reseller's available balance (live balance + credit)
Clients	The total amount of a respective reseller's/manager's clients
Cards	The total amount of a respective reseller's/manager's calling cards
Call Shops	Total number of a respective reseller's/manager's call shops

The following functional buttons and icons are present in the section:

Button/Icon	Description
• New Company	Allows creating a new reseller
• New Manager	Allows creating a new manager
	Allows assigning an origination rate table to a respective reseller
	Allows assigning a termination rate table to a respective reseller
8	Allows viewing a list of a following reseller's/manager's users



# **Advanced Search**

In the top right corner of the section above the table, an Advanced Search drop-down menu is located. By clicking on a blue downward arrow Vicon, a drop-down menu with the following structure is displayed:

Screenshot: Advanced Search drop-down menu



Field	Description	
To apply t	Select a mode for the resellers' display: he specified search criteria, click the <b>Search</b> button; to cancel the applied par	ameters, click <b>Reset</b> .


• Normal Mode - only resellers with Active status will be displayed


Adding a New Reseller regardless of the status will be displayed

To add a company, you need to:

- click the New Company button;
- fill in all the required fields in the appeared pop-up window (see below) and click **OK**.

Screenshot: Adding a new company





	• Gate ways	Select gateway(s) for this reseller					
Terminator	Reseller's billing settings for outgoing calls						
Settings	• TERM	Rates for outgoing events from customers under a current reseller. Enables resellers billing mode					
	Rates	<b>⊘</b> Tip					
		For more information about resellers billing mode, address this article					
	• TERM Capa city	Termination capacity for all clients, belonging to this reseller. Leave this field empty for unlimited capacity					
Fraud Protection ch	Enables/disa	ables administrator notification in case of multiple simultaneous calls to the same number from the current Reseller.					
eckbox	Attent	tion					
		e that all notifications can be found in <b>System &gt; Events Log</b> . If you want to receive them to exact email, go to the <b>Confi</b> ab of the <b>Events Log</b> section, and add a new rule with the indication of target email and <b>aaa.fraud</b> value in the <b>Tag</b> field.					
	Here you nee	ed to specify the following:					
	Notifi cation Frequ ency	Set minimum time in seconds between sent notifications (minimum interval must be 0 sec)					
	• Skip Digits	Define the quantity of the last number digits, which will be ignored when determining a destination number. For instance, with one digit for ignoring, the numbers 123456 and 123457 will be considered the same number.					
Origination	Current Reseller's billing settings for incoming calls						
Settings	• Postp aid ch eckbox	Here you can set a specific payment mode for a client. Postpaid mode means that a client will have unlimited credit. Otherwise, the client's Balance + Credit value will be checked on RADIUS or SIP authorization. When this field is checked, the Credit field becomes unavailable.					
	Credit	The additional field next to the <i>Postpaid</i> checkbox. User can indicate an amount of reseller's credit					
	ORIG     Rates	Specify rates for incoming events from customers under a current reseller. Enables resellers billing mode					
	• ORIG Capa city	Indicate origination capacity for all clients, belonging to this reseller. Leave this field empty for unlimited capacity					
Invoicing	Current Reseller's invoicing settings						
Information	• Date	Allows you to select how the system sets an invoicing date:  • Real date – sets an invoicing date to actual invoicing date  • Last day – sets an invoicing date to date of last day of invoicing period					
		Last vay - sets an involving date to date of last day of involving period					

	• Templ ate	Select an invoice template that will be assigned to a reseller					
	• No Tpl	Allows to define a default format of invoice's name					
	• Last No	Define the last used invoice number					
SureTax Settings		file settings. SureTax is a third-party tax calculation engine. This tax calculation is based on the location of the customer's ction. This profile is used for further calculation in invoices. To get more details, check out the article US Taxation.					
	• Client Numb er	Specify a unique number that identifies an individual in the SureTax service					
	• Valida tion Key	Define a unique validation key of the SureTax service					
Contact	Some additional information						
Information	• Email	Company's email (it is required to specify an email to receive notifications). Use only Latin characters. This field is mandatory					
	• Posta I Addre ss	Company's postal address					
	• Tax ID	An ID of the tax-paying entity					
	• Reg	Company's registration ID					
	• Bank Acco unt	Company's bank account info					
Company Logo		n add a file with a company's logo. To delete the company logo, open the edit form of a respective Reseller with a logo, elelete icon to remove the old logo.					
Mail Templates	A detailed de	escription of all Mail Templates and their configuration is presented at the end of the article					

# Attention

- Changes in Resellers' settings will not be applied instantly. They will be automatically reloaded at the next run of the Cache Manager service.
   Parent Reseller has access to all information of its Sub-Resellers, and also can assign any routing plan and rate table to its Sub-Resellers.




Email Rates Import Settings information block has been removed from the Resellers settings in VCS 3.16.0 due to the introduction of the Data Source section.

# Adding a New Manager

To add a manager, click the **New Manager** button. After specifying the required fields, click **OK**.


Screenshot: Adding a new manager



Information block	Fields Description				
System Information	General information about a Manager				
	• Name	Here you can specify the name of a manager. This field is mandatory.			
	• Parent	Select a parent for a manager			
	Status	Select the current status of a manager:  • Active • Deleted			
Contact Information Some additional information		rmation			
	• Email	Manager's email. Use only Latin characters.			
	• Postal Address	Manager's postal address			

To delete a Reseller/Manager from the system, you need to change the status from Active to Deleted in the Reseller's/Manager's profile editing form.

Screenshot: Editing reseller's status



Please note that, in fact, a Reseller/Manager will not be deleted fully, it will be archived. To display them, use Advance Search (see above). To delete a profile completely, you need to click Full Delete in this editing window.


#### **Custom Fields**

- Custom Fields are used as custom variables that will be represented as readable text in invoice templates. A Custom Field allows adding information about a client.
- · Custom Package Fields are also used as custom variables that allow adding information about a package.

To add a new field, follow these steps:

- 1. Click the Add Custom Field button.
- Specify the Field Key and Title fields for a custom item. For example, voip\_phone\_sell as Key and VolP Phone as common Title, which will be visible for all clients. Please note that the Field Key must contain word characters only.
- 3. Add respective notes to the VolP Phone field in the Client's settings/Package settings > Custom Fields tab.
- 4. Create an invoice template and assign it to a target reseller. Then the *Clients Custom Fields* and *Package Custom Fields* tables will appear in the *Invoice Template* settings. You simply need to add those tables to the invoice template.
- 5. Finally, you can generate an invoice.


Screenshot: Custom Fields



#### **Rates Notifications**

Rates Notification settings in the Resellers profile allow creating a default rate notification for the clients that belong to a target reseller.

Screenshot: Rates Notifications



To configure these settings, open the **Rate Notifications** tab in the reseller profile. The structure of a tab is as follows:

Field	Description				
Date Format	Specify the date format in your export file. Example of the field syntax: if you enter "%d-%m-%Y" here, your date will look like 25-02-2018.				
Code Deck	Select a code deck her	Select a code deck here to rewrite code names in an export file if needed			
Codes Output	Select a way codes must be displayed				
	Separate Rows	Each code is placed into a single row			
	Delimited List	Codes are grouped by a code name in a row. For example, 5510, 5511, 5512.			

	• Ranges List	Codes are grouped by a code name into ranges plus delimiter. For example, 5510-5512, 5515.		
Data Format	Specify an output file for	ormat, .xls or .csv		
Fields Delimiter	Set a delimiter for the fields if you've chosen .csv. For .xls format this field is unavailable			
With headers row checkbox	Include a row with column names in a file			
Codes from code deck chec kbox	Include only codes, which are present in a specified <b>Code Deck</b>			
Header Text/Footer Text	Allows to specify additional text into an exported file as a header and footer respectively			

Description of all columns that could be selected for a rate notification is provided below:

Colu	umn Name Description							
Code /	Code	Name	Code or Cod	le Name of a re	espective i	rate		
Effecti	ive Da	te	Date on which	ch a rate to be	applied			
Rate			Price					
Min Vo	olume		The minimur	m volume of ch	argeable e	events		
Interva	al		Chargeable	interval				
Grace	Volun	1e	Free of char	ge interval				
Setup	Fee		Interval of a	setup fee				
Profile	,		Time profile	(all time, busin	ess time, i	non-business tim	e, weekends)	
End D	ate		Date on which	ch the rate end	s			
Previo	us Ra	te	Rate used b	efore the prese	nt time			
Prev D	Diff		Shows how	current rate diff	ers from a	previous one af	ter import	
Prev D	oiff Sta	tus	Shows how	the current rate	's status o	changed in comp	arison to a previous one	(unchanged, increased, decreased
Prev D	oiff (ex	port)	Shows how	the current rate	differs fro	m a previous on	e after export	
Prev E	ev Diff Status (export) Rate's changes after the last export. S The rate will have an unchanged stat							
Step 1	: Notifi	cation type: A	II rates unique	mode - First N	otification	: 07/07/2017		
Code	Rate		Effective From	Previous Rate	Prev Diff	Prev Diff Status	Prev Diff Status (export)	
1	10	07/01/2017 0	0:00:00 +0000	-	-	new	unchanged	
2	10	07/01/2017 0	0:00:00 +0000	-	-	new	unchanged	
3	10	07/01/2017 0	0:00:00 +0000	-	-	new	unchanged	
Step 2	: Adde	d new rates w	ith effective da	ate 07/21/2017 -	Second N	otification: 07/14/	2017	
Code	Rate		Effective From	Previous Rate	Prev Diff	Prev Diff Status	Prev Diff Status (export)	
1	15	07/21/2017 0	0:00:00 +0000	10	5	increased	increased (5.0000)	
2	15	07/21/2017 0	0:00:00 +0000	10	5	increased	increased (5.0000)	
3	15		0:00:00 +0000	10	5	increased	increased (5.0000)	
Step 3: Rate with code 1 was edited and the increase was canceled - Third Notification: 07/21/2017								
Code	Rate		e From	Previous Rate	Prev Diff	Prev Diff Status	Prev Diff Status (export)	
1	10		0:00:00 +0000	10	0	unchanged	unchanged	
2	15			10	5	increased	increased (5.0000)	
3	15		0:00:00 +00:00	10	5	increased	increased (5.0000)	
							cation: 07/28/2017	
Code 1	Rate 10		ve From	Previous Rate	Prev Diff	Prev Diff Status	Prev Diff Status (export)	
2	10 <b>20</b>			10	10	unchanged	unchanged	
3	20			15	5	increased	unchanged increased (5.0000)	
J	3 20 07/31/2017 00:00:00 +0000		13					


Policy	Indicated policy of the rate	
Tag	ags that are assigned to a respective rate	
Notes	Additional information	

Status Define a current rate status

# **Autocharge Settings**

Autocharge Settings in the **Resellers** profile allow configuring the settings for Authorize.net payment gateway. These settings will be true for all the clients under the respected Reseller.

Screenshot: Autocharge Settings



To configure these settings, open the Autocharge Settings tab in the reseller profile. The structure of a tab is as follows:

Field	Description	
Login	Pl login	
Transaction Key	API transaction key	
Gateway Currency	currency declared by the Payment Gateway	
System Currency	Default JeraSoft Billing system currency	
Payment Account	Payment Account name	

# **Configuring Mail Templates**

There are also different mail templates you can configure in your company's profile:

Screenshot: Mail Templates




Template Name	Description
Mail Template: Invoice	Used when sending an invoice to the customer
Mail Template: Invoice Unpaid Reminder	Used when sending a payment notification to a customer (sending notification on "Notify Days (before)")

Mail Template: Overdue Reminder	Used when sending a payment notification to a customer (sending notification on "Notify Days (after)")	
Mail Template: Low Balance Notification	Used when sending a low balance notification to a customer  Tip	
	You can <b>add a rounding rule</b> for a client's balance during low balance notification. For example, to round up to 2 decimal places, you need to add the variable <b>\${client['balance']}</b> in the <b>Mail template: Low Balance Notification</b> in reseller's settings and specify the number of rounding decimals in the <b>Totals Precision</b> field of the <b>Currencies</b> section.	
Mail Template: Rates Notificator	Used when sending a rate changes notification to a customer	
Mail Template: Factors Watcher	Used when sending a notification to a customer once a Preset by Factors Watcher has been added	
Mail Template: Reports Watcher	Used when sending reports by email	

All mail templates have the following structure:

Screenshot: Reseller/Mail Template: Factors Watcher form



Field	Description		
From	Specify a name and email of a company		
всс	Specify who will receive a blind copy of an email		
Subject	Indicate an email subject that may contain company name, invoice number, etc.		
Mail	Content of the letter. On the screenshot above the following information is specified:		
Body	• Direction {direction}	Code or Code name that will be automatically filled in by the system	
	• Reason {reason}	Values specified in Factors Watcher settings (for example, <i>calls_total &gt; 0</i> ).	
	Values {values}	Actual value, which was exceeding the one specified in Factors Watcher settings (for example, <i>calls_total</i> = 1234).	

To configure any of these templates, simply click on its name. Below you will find a full list of templates configuration syntax used in almost all kinds of configured mails concerning Clients' and Resellers' data and configuration syntax, which is used in a foregoing list of mail templates.

# Configuration Syntax

# **General Configuration Syntax Concerning Clients' Data**

Templates Configuration Syntax	Description
\${client['status']}	Client's status:
	Active     Deleted
\${client['name']}	Client's name
\${client['balance']}	Client's live balance
\${client['balance_accountant']}	Client's fixed balance
\${client['credit']}	Client's available credit
\${client['c_company']}	Client's official company name
\${client['c_address']}	Post address of a client's company
\${client['c_email']}	Client's email
\${client['locale']}	Client's location
\${client['currencies_id']}	Currency ID, used by a client
\${client['tz']}	Timezone of a client
\${client['taxes_profiles_id']}	Taxes profile's ID, used by a client
\${client['tax_id']}	Customers tax ID of a client's company
\${client['reg_id']}	Registration ID of a client's company

# General Configuration Syntax Concerning Company's/Reseller's Data

Templates Configuration Syntax	Description
\${company['status']}	Company's status:  • Active • Deleted
\${company['balance']}	Company's current balance
\${company['balance_accountant']}	Company's fixed balance
\${company['credit']}	Company's available credit
\${company['c_address']}	Company's postal address
\${company['c_email']}	Email of a company
\${company['locale']}	Company's location
\${company['currencies_id']}	Company's currency ID
\${company['tz']}	Company's timezone
\${company['taxes_profiles_id']}	Company's taxes profiles
\${company['name']}	Name of a company
\${company['tax_id']}	Company's customers tax ID
\${company['reg_id']}	Company's registration ID

# Configuration Syntax for Mail Template: Invoice and Payment Reminder Notification

Templates Configuration Syntax	Description
\${invoice['c_dt']}	Invoice date

\${invoice['type']}	Invoice type
\${invoice['amount']}	Invoice total sum
\${invoice['period_start']}	Invoice period start
\${invoice['period_finish']}	Invoice period end
\${invoice['due_date']}	Invoice due date
\${invoice['no']}	Invoice number
\${invoice['descr']}	Invoice comments
\${invoice['tz']}	Invoice timezone
\${invoice['state']}	Invoice state
\${invoice['name']}	Invoiced client's name
\${client['currency']}	Client's currency

# Configuration Syntax for Mail Template: Low Balance Notification

Templates Configuration Syntax	Description
\${client['balance_avail']}	Client's available balance: live balance + credit
\${client['currency']}	Client's currency
\${client['alert_threshold']}	Notification for a client regarding reaching a balance limit
\${client['alert_athreshold']}	Notification for an administrator regarding reaching a balance limit

# Configuration Syntax for Mail Template: Rates Notificator

Templates Configuration Syntax	Description
\${msg['rt_name']}	Rate table name
\${msg['lastedit_dt']}	Date when a rate table was edited last
\${date}	Date when the notification was sent

# Configuration Syntax for Mail Template: Reports Watcher

Templates Configuration Syntax	Description
\${report["title"]}	Title of a report template
\${report["interval"]}	Actual report period
\${report["title-full"]}	Title of a report template with indication of an actual report period
\${report["webUrl"]}	URL to view a report on the web portal
\${report["id"]}	ID of a report template



If you want the date of sending a letter to be present, you can add the **\${date}** variable in any mail template.

# Knowledge Base Articles

parameters should not be empty