Data Sources

In this article • Section overview • Creating a New Data Source

Section overview


Data Source section is a first step to providing easier and more convenient work with data sources: files import, in particular. Previously, data source settings were split between Rate Tables, Resellers, Gateways, and Number Portability and caused certain inconvenience in its configuration. Now, all these settings have been united in a single section making it possible to configure a data source in one place and use it throughout the entire system. The section is presented in the form of a table with the following columns:

Screenshot: Data Source section



Column Name	Description
ID	Data source identification number
Name	Data source name
Connection type	Type of connection to the data source
Host	IP address or domain name
Port	Data source port

Functional buttons and icons presented in the section are as follows:




Creating a New Data Source

To create a new data source, you need to follow these steps:

- 1. Click the **Add Source** button
- 2. In the pop-up window, fill in the required fields (see screenshot below) and click \mathbf{OK}

Screenshot: New Data Source create a form



Field	Description	
Name	Indicate a data source name	
Host	Specify an IP address or domain name of the server. Unavailable for Web (Numuri) connection type	
Connection Type	Specify connection type: SSH FTP IMAP - mail mode to download files. Web (Numuri) - web mode to download files Attention Depending on a type you've chosen, the list of fields in the information block may differ	
Login	Specify gateway server login	
Password	Password for <i>FTP</i> connection, <i>IMAP</i> mailbox, and <i>Numuri</i> web service. For <i>SSH</i> , you have to create <i>SSH</i> -keys. Thus, this field is unavailable for this type.	
Port	Specify the port for SSH, IMAP or FTP type. Unavailable for Web (Numuri)	