Users

 Section overview Advanced Search 	
Adding a New User	

Section overview

Users is a core section that provides an overview of all registered users in the system. The section allows to create, edit, and disable existing users. The list of users is presented in the form of a table with the following columns:

Screenshot: Users section

🔒 Users						
🕒 New	User		Rows $1 - 3$ of 3	₩ 20 ▼	« < Page 1 of 1	
Active	Login 🎍	Reseller 🔺	Full name	A V	Role	×
9	admin	all resellers	Administrator		Administrator	
9	api-client	Reseller A	API Client Portal		API - Client Portal	
-	jerasupport	Reseller J	JeraSoft Support		Administrator	
About	Get Support 0.3001s			© 200	04-2018 JeraSoft. All Rig	hts Reserved.

Column	Description	
Active	User's status . Depending on the icon, the status can be either 🝚 active or 🔴 disabled .	
Login	User's account name	
Reseller	Name of a company whom this user belongs to	
Full Name	Mailto links of users (if specified in the user's account)	
Role	User's role that determines the access level or permissions	

🕑 Tip

If your role implies relevant permits, by clicking on a status icon in the Active column, you can change the user's status from active to disabled and vice versa

Functional **buttons/icons**, presented in the section, are as follows:

Button/Icon	Description
🔂 New User	Allows creating a new user
\bigcirc	Opens an Advanced Search drop-down menu
Advanced Sea	rch

In the top right corner of the section above the table, an **Advanced Search** drop-down menu is located. By default, the list of clients is filtered by **Active** status. By clicking on a red downwards arrow victor, a drop-down menu with the following structure is displayed:

Screenshot: Advanced Search drop-down menu

			٥
Login:			
Reseller:	all resellers		•
Role:			•
Active:	Yes		•
		Reset	Search

Field	Description		
Login	Specify a desired user's login		
Reseller	Select from the list of all Resellers, Sub-resellers and Managers registered in the system		
Role	Select from the list of existing system roles		
_{Active} Adding	Specify whether the user's status is active or not, by selecting from a drop-down list:		

● No What you needto Ehptyና የਫ਼ਾਰਿਤਿਸੀਬੇ ਅੰਤਿਓਂ ਤੇ with both statuses)

- Click the New User button
 In the opened pop-up window, fill in all the required fields (list of them is presented in a column below)
 Confirm new user creation by clicking OK

Screenshot: New user creation window

💧 Users	
Login:	
Password:	
Role:	Administrator
Status:	Active
Full Name:	
Email:	
Locale:	
Timezone:	▼
Reseller:	all resellers 💌
CoreAPI Token:	
Allowed IPs:	
	OK Cancel Apply

Field	Description	
-------	-------------	--

Login	Specify a user's login .
Password	Define a password
Role	Select a role for a user from a drop-down list
Disabled checkbox	Check if you need to prevent a user temporary from having access to the system
Full Name	Enter a user's name. Note that if a user's email is specified, full name in the section serves as a mailto link.
Email	Specify a user's email
Locale	Define a language for a user, and it will be used instead of the system one for displaying all dates, reports, etc. If not specified, the system settings are taken.
Timezone	Define a timezone for a user, and it will be used instead of the system one for displaying all dates, reports, etc. If not specified, the system settings are taken.
Reseller	Specify a reseller, sub-reseller or manager a user belongs to
CoreAPI Token	This field cannot be specified in the creation form. CoreAPI Token is automatically generated by the system after a user is created
Allowed IPs	Enter IPs or subnets, one record per line, i.e. the user will have access to the system only if he/she logs in via specified IPs

4 Attention

While creating a new user, bear in mind the following things:

- Each user can have only one assigned role.
 We strongly recommend avoiding non-Latin characters in users' logins/passwords