

Autorotation and Cleaning

Automatic statistics and backup management parameters are configured here:

Screenshot: Autorotation and Cleaning settings window

AUTOROTATION AND CLEANING		
Delete events from log after:	<input type="text" value="1"/> day(s) (from 1 to 90)	Delete events from Events Log after a specified period of days.
Statistics Archiving Delay:	<input type="text" value="0"/> day(s) (0 - do not archive)	Archive statistics in advance. Advance archiving minimizes the time needed for backup.
Statistics Rotate Delay:	<input type="text" value="100"/> day(s) (0 - do not rotate)	Rotate statistics to archive after specified number of days.
Delete not actual rates after:	<input type="text" value="360"/> day(s) (0 - do not delete)	Delete rates from the system when they are not relevant for a specified number of days from the end date.
Delete parsed xDR files after:	<input type="text" value="180"/> day(s) (0 - do not delete)	Number of days, after which already parsed and processed xDR files must be deleted from the local server.
Delete archived log files after:	<input type="text" value="90"/> day(s) (0 - do not delete)	Number of days, after which archived log files must be deleted from the local server.
Delete emails from Mail Queue after:	<input type="text" value="365"/> day(s) (0 - do not delete)	Number of days, after which emails from Mail Queue must be deleted from the local server.

Field	Description
Delete events from log after	Specify the number of days , in which events will be removed from the log-files (when 0 is the value – events won't be deleted)
Statistics Archiving Delay	Here, it's possible to archive the statistics in advance to reduce the backup time (by default, 35 days is set here. When 0 is the value – events won't be archived)
Statistics Rotate Delay	Specify statistics packages rotation delay (for example, if you enter 3 as a value, all statistics packages that are older than 3 days will be automatically archived)
Delete not actual rates after	Cleans non-actual rates from the database when effective date is older than a specified number of days
Delete parsed xDR files after	Define when the system should delete old parsed xDR-files
Delete archived log files after	Define when the system should delete archived log-files
Delete emails from Mail Queue after	Define when the system should delete emails from Mail Queue